

# Cardolite<sup>®</sup> LITE 2100

## CNSL Epoxy Modifier

### Preliminary Technical Datasheet

#### DESCRIPTION

Cardolite LITE 2100 is a low viscosity, low color, cashew nutshell liquid modified hydrocarbon resin designed for use as an epoxy modifier in coatings, adhesives and composites. LITE 2100 provides excellent dilution efficiency and improves compatibility and flexibility of the epoxy system while maintaining fast hardness development, very good chemical resistance and corrosion protection, and excellent adhesion even to unprepared surfaces.

#### PROPERTIES

PROPERTY	PROVISIONAL SPECIFICATION	TEST METHOD
Color (Gardner)	≤ 4	ASTM D1544
Viscosity @ 25°C (cPs)	450 - 750	ASTM D2196
Volatile Content (% weight)	≤ 1	ASTM D2369-98
Recommended Use Level (% resin) <sup>1</sup>	≤ 30	
Shelf Life (Months)	12	

<sup>1</sup>Optimum use level varies with application

#### APPLICATIONS

LITE 2100 enables high solids and solvent free protective and industrial coatings and construction adhesives such as grouts, self-levelers and mortars. LITE 2100 shows better dilution efficiency and less effect on dry time than typical phenol modified hydrocarbon resins, and it can increase hardness development of the coating while providing improved flexibility and impact resistance. The high hydrophobicity of this product results in excellent water and moisture resistance, and more importantly, excellent corrosion protection on immersed and vapor exposed surfaces. Laboratory evaluations demonstrated LITE 2100 exhibits good adhesion even to rusted metal substrates. Moreover, LITE 2100 shows very good UV resistance with excellent gloss retention for use in lighter color coatings. This renewable product can be used to replace aromatic hydrocarbon modifiers that are based solely on petrochemicals.

#### ADVANTAGES

- Excellent dilution power
- Fast hardness development
- Excellent flexibility and wetting
- Good adhesion to poorly prepared surfaces
- Moisture tolerant
- Excellent water resistance
- Good color and gloss retention
- Improves compatibility of epoxy system
- Superior corrosion protection
- Very good chemical resistance
- Non-toxic
- Based from natural, renewable, non-food chain raw material feedstock

## REGULATORY STATUS

---

Please refer to the material safety data sheet (MSDS). Specific information regarding chemical inventory listing can be obtained from your local sales representative.

## SAFETY PRECAUTIONS

---

Please refer to the material safety data sheet (MSDS). Copies of the MSDS can be requested on the Cardolite website or via your local sales representative.

## STABILITY AND STORAGE

---

Cardolite products may absorb moisture and carbon dioxide when left in open containers, which could result in increased viscosity, discoloration, reduction of reactivity, and/or crystallization of the products. These products should be kept tightly sealed in their original containers when not in use, and stored in a cool, dry place.

## CONTACT INFORMATION

---



<http://www.cardolite.com>

Cardolite Corporation  
500 Doremus Avenue  
Newark, NJ 07105  
United States of America

T: +1-973-344-5015

Cardolite Specialty  
Chemicals Europe NV  
Wijmenstraat 21K / 2  
B-9030 Mariakerke (Gent)  
Belgium

T: +32 (0) 92658826

Cardolite Specialty Chemicals  
India Pvt. Ltd.  
Plot No. IP-1 & IP-2, Mangalore  
Special Economic Zone  
Bajpe, Mangalore 574 142,  
India

T: + 91 (0) 824 4289 777

Cardolite Chemical Zhuhai Ltd.  
Biyang Road  
Harbor Industrial Zone  
Zhuhai, Guangdong 519050  
P.R. China

T: +86-756-726-9066

## DISCLAIMER & COPYRIGHT

---

All statements, technical information and recommendations contained herein are based on tests Cardolite believes to be reliable, but the accuracy or completeness thereof is not guaranteed. Actual test method procedures may differ from listed standards; major differences are noted. Limitation of liability and remedy: Purchase or use of these products constitutes an agreement with seller and manufacturer that, if the product proves to be defective or unsuitable, seller's and manufacturer's liability and the exclusive remedy, regardless of tort or contract theory or of incidental or consequential damages shall be to receive, at seller's or manufacturer's option, an equivalent quantity of replacement product or a refund of the purchase price. This datasheet is copyrighted to Cardolite Corporation and may be reproduced but not altered in any way.